

HH-HB	BEZIRK	HH-HB
-------	--------	-------

Ergebnis..vom 28.1.07 Gru Pik Ru 1  
Turnier am Pferdemarkt in Rotenburg

Rang	Pnr	Name		Punkte	%	CP
1	24	Hr.Halmos	Hr.Hertig	640.9	63.6	114
2	7	Hr.Heine	Fr.Schumacher.I	622.9	61.8	87
3	1	Fr.Winkler	Hr.Luttringer	593.7	58.9	63
4	20	Hr.v.Klot	Hr.Schoolmann	575.5	57.1	48
5	13	Fr.Halmos	Fr.Hertig	573.8	56.9	36
6	32	Hr.Norden	Fr.Renner	573.1	56.9	27
7	4	Fr.Cordes	Fr.Sothmann	570.6	56.6	21
8	16	Fr.Voss	Fr.Schön	558.8	55.4	15
9	5	Fr.Schönfeld	Fr.Naguschewski	550.4	54.6	9
10	11	Fr.Stricker	Hr.Stricker	547.8	54.3	6
11	9	Fr.Herrmann	Fr.Enderlein	542.9	53.9	6
12	15	Fr.Bruns	Fr.Wigger	540.9	53.7	
13	2	Fr.Polikeit	Fr.Rasel	535.5	53.1	
14	10	Fr.Küter	Hr.Walter	532.6	52.8	
15	31	Hr.Busch	Fr.Busch	531.7	52.7	
16	22	Fr.Redeker	Fr.Klein	522.9	51.9	
17	6	Fr.Koch	Fr.Horstmann	500.9	49.7	
18	17	Fr.Uhrig	Fr.Hennings	499.9	49.6	
19	12	Fr.Scepik	Hr.Wolter	495.4	49.1	
20	27	Fr.Schulz	Hr.Schulz	489.2	48.5	
21	19	Hr.Mehring	Fr.Eleftherakis	461.8	45.8	
22	21	Hr.Krappe	Fr.Henning	460.0	45.6	
23	3	Fr.Hofer	Fr.Stöve	455.4	45.2	
24	8	Fr.Lojewski	Fr.v.Seggern	454.1	45.0	
25	14	Fr.Schröder	Fr.Schlichte/Teichm	439.5	43.6	
26	26	Fr.Ziemke	Fr.Hoffmann	429.9	42.6	
27	23	Fr.Feierabend	Fr.Schumacher	421.5	41.8	
28	29	Fr.Drewer	Fr.Müller	406.8	40.4	
29	30	Fr.Gerlach	Hr.Gerlach	373.4	37.0	
30	25	Fr.Waetjen	Fr.Schweinoch	368.0	36.5	
31	28	Fr.Koberling	Fr.Schmidtke	335.9	33.3	

Board-Nr.		1 28.1.07 Gru Pik					Ru 1		Board-Nr. 2				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W			
32	18.0	90	10.0	1	!	32	18.3	-100	9.7	1			
11	4.0	-100	24.0	29	!	11	25.8	110	2.2	29			
28	0.0	-150	28.0	13	!	28	9.3	40% 60%	16.8	13			
30	22.0	110	6.0	12	!	30	22.6	50	5.4	12			
9	10.0	-50	18.0	31	!	9	11.9	-300	16.1	31			
24	28.0	150	0.0	2	!	24	18.3	-100	9.7	2			
25	12.0	0	16.0	3	!	25	8.6	-400	19.4	3			
23	18.0	90	10.0	6	!	23	15.1	-130	12.9	6			
8	14.0	50	14.0	22	!	8	0.1	-1100	27.9	22			
21	7.0	-90	21.0	10	!	21	4.4	-600	23.6	10			
15	7.0	-90	21.0	17	!	15	27.9	150	0.1	17			
7	25.0	120	3.0	26	!	7	11.9	-300	16.1	26			
14	2.0	-110	26.0	20	!	14	6.5	-500	21.5	20			
19	18.0	90	10.0	16	!	19	2.2	-800	25.8	16			
4	25.0	120	3.0	5	!	4	22.6	50	5.4	5			

Board-Nr.		3 28.1.07 Gru Pik					Ru 1		Board-Nr. 4				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W			
5	7.0	180	21.0	6	!	5	14.0	120	14.0	6			
32	2.0	110	26.0	2	!	32	24.0	150	4.0	2			
12	27.0	460	1.0	29	!	12	24.0	150	4.0	29			
28	0.0	90	28.0	14	!	28	8.0	80	20.0	14			
30	7.0	180	21.0	13	!	30	4.0	-100	24.0	13			
10	7.0	180	21.0	31	!	10	28.0	600	0.0	31			
24	27.0	460	1.0	3	!	24	20.0	140	8.0	3			
27	7.0	180	21.0	1	!	27	14.0	120	14.0	1			
25	14.0	210	14.0	4	!	25	24.0	150	4.0	4			
23	23.0	430	5.0	7	!	23	14.0	120	14.0	7			
9	12.0	200	16.0	22	!	9	0.0	-400	28.0	22			
21	23.0	430	5.0	11	!	21	4.0	-100	24.0	11			
8	18.0	400	10.0	26	!	8	14.0	120	14.0	26			
15	18.0	400	10.0	20	!	15	4.0	-100	24.0	20			
19	18.0	400	10.0	17	!	19	14.0	120	14.0	17			

Board-Nr.		5 28.1.07 Gru Pik					Ru 1		Board-Nr. 6				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W			
6	26.0	300	2.0	7	!	6	7.0	-100	21.0	7			
32	13.0	100	15.0	3	!	32	20.0	140	8.0	3			
13	13.0	100	15.0	29	!	13	25.0	420	3.0	29			
28	13.0	100	15.0	15	!	28	1.0	-150	27.0	15			
30	13.0	100	15.0	14	!	30	13.0	-50	15.0	14			
11	21.0	150	7.0	31	!	11	4.0	-130	24.0	31			
4	21.0	150	7.0	24	!	4	13.0	-50	15.0	24			
27	21.0	150	7.0	2	!	27	7.0	-100	21.0	2			
25	4.0	50	24.0	5	!	25	1.0	-150	27.0	5			
23	4.0	50	24.0	8	!	23	28.0	450	0.0	8			
10	4.0	50	24.0	22	!	10	20.0	140	8.0	22			
21	4.0	50	24.0	12	!	21	13.0	-50	15.0	12			
17	4.0	50	24.0	1	!	17	20.0	140	8.0	1			
9	21.0	150	7.0	26	!	9	25.0	420	3.0	26			
16	28.0	500	0.0	20	!	16	13.0	-50	15.0	20			

Board-Nr.		7 28.1.07 Gru Pik					Ru 1		Board-Nr. 8				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W			
20	13.0	-200	15.0	17	!	20	28.0	570	0.0	17			
1	23.0	100	5.0	19	!	1	9.0	50	19.0	19			
7	28.0	200	0.0	8	!	7	17.0	140	11.0	8			

32	13.0	-200	15.0	4	!	32	14.0	100	14.0	4
14	23.0	100	5.0	29	!	14	2.0	-110	26.0	29
28	5.0	-650	23.0	16	!	28	9.0	50	19.0	16
30	23.0	100	5.0	15	!	30	9.0	50	19.0	15
31	23.0	100	5.0	12	!	31	22.0	150	6.0	12
5	10.0	-620	18.0	24	!	5	9.0	50	19.0	24
27	16.0	-170	12.0	3	!	27	26.0	400	2.0	3
25	18.0	-140	10.0	6	!	25	0.0	-140	28.0	6
23	5.0	-650	23.0	9	!	23	22.0	150	6.0	9
11	5.0	-650	23.0	22	!	11	17.0	140	11.0	22
21	0.0	-680	28.0	13	!	21	22.0	150	6.0	13
10	5.0	-650	23.0	26	!	10	4.0	-50	24.0	26

Board-Nr.	9	28.1.07	Gru	Pik	Ru	1	Board-Nr.	10		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
26	16.0	-90	12.0	11	!	26	20.0	620	8.0	11
2	25.0	100	3.0	19	!	2	20.0	620	8.0	19
8	1.0	-200	27.0	9	!	8	5.0	100	23.0	9
32	22.0	90	6.0	5	!	32	20.0	620	8.0	5
15	7.0	-140	21.0	29	!	15	10.0	150	18.0	29
28	7.0	-140	21.0	17	!	28	1.0	-100	27.0	17
16	19.0	-50	9.0	30	!	16	20.0	620	8.0	30
31	19.0	-50	9.0	13	!	31	20.0	620	8.0	13
6	14.0	-100	14.0	24	!	6	20.0	620	8.0	24
27	7.0	-140	21.0	4	!	27	1.0	-100	27.0	4
25	12.0	-110	16.0	7	!	25	12.0	600	16.0	7
23	7.0	-140	21.0	10	!	23	5.0	100	23.0	10
12	25.0	100	3.0	22	!	12	20.0	620	8.0	22
21	1.0	-200	27.0	14	!	21	8.0	110	20.0	14
1	28.0	120	0.0	3	!	1	28.0	650	0.0	3

Board-Nr.	11	28.1.07	Gru	Pik	Ru	1	Board-Nr.	12		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
2	17.0	180	11.0	4	!	2	18.0	-140	10.0	4
26	17.0	180	11.0	12	!	26	3.0	-420	25.0	12
20	28.0	460	0.0	1	!	20	3.0	-420	25.0	1
3	0.0	-300	28.0	19	!	3	8.0	-200	20.0	19
9	26.0	430	2.0	10	!	9	11.0	-170	17.0	10
32	17.0	180	11.0	6	!	32	21.0	-130	7.0	6
16	17.0	180	11.0	29	!	16	15.0	-150	13.0	29
17	17.0	180	11.0	30	!	17	24.0	-120	4.0	30
31	17.0	180	11.0	14	!	31	21.0	-130	7.0	14
7	17.0	180	11.0	24	!	7	27.0	50	1.0	24
27	6.0	120	22.0	5	!	27	0.0	-430	28.0	5
25	8.0	150	20.0	8	!	25	6.0	-400	22.0	8
23	2.0	-100	26.0	11	!	23	11.0	-170	17.0	11
13	4.0	-50	24.0	22	!	13	15.0	-150	13.0	22
21	17.0	180	11.0	15	!	21	27.0	50	1.0	15

Board-Nr.	13	28.1.07	Gru	Pik	Ru	1	Board-Nr.	14		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
16	20.0	660	8.0	21	!	16	14.0	50	14.0	21
3	12.0	600	16.0	5	!	3	22.0	100	6.0	5
26	20.0	660	8.0	13	!	26	14.0	50	14.0	13
20	26.0	690	2.0	2	!	20	22.0	100	6.0	2
4	28.0	720	0.0	19	!	4	14.0	50	14.0	19
10	20.0	660	8.0	11	!	10	4.0	-140	24.0	11
32	12.0	600	16.0	7	!	32	27.0	150	1.0	7
29	8.0	180	20.0	17	!	29	22.0	100	6.0	17
1	20.0	660	8.0	28	!	1	0.0	-470	28.0	28

31	12.0	600	16.0	15	!	31	14.0	50	14.0	15
8	2.0	150	26.0	24	!	8	2.0	-420	26.0	24
27	0.0	-100	28.0	6	!	27	27.0	150	1.0	6
25	5.0	170	23.0	9	!	25	8.0	-90	20.0	9
23	5.0	170	23.0	12	!	23	6.0	-130	22.0	12
14	20.0	660	8.0	22	!	14	14.0	50	14.0	22

Board-Nr.	15	28.1.07	Gru	Pik	Ru	1	Board-Nr.	16		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
22	5.0	-300	23.0	15	!	22	14.0	-50	14.0	15
17	16.0	-200	12.0	21	!	17	2.0	-100	26.0	21
4	16.0	-200	12.0	6	!	4	14.0	-50	14.0	6
26	16.0	-200	12.0	14	!	26	14.0	-50	14.0	14
20	16.0	-200	12.0	3	!	20	2.0	-100	26.0	3
5	23.0	-100	5.0	19	!	5	24.0	110	4.0	19
11	26.0	110	2.0	12	!	11	14.0	-50	14.0	12
32	16.0	-200	12.0	8	!	32	28.0	140	0.0	8
2	28.0	150	0.0	28	!	2	14.0	-50	14.0	28
1	23.0	-100	5.0	30	!	1	14.0	-50	14.0	30
31	5.0	-300	23.0	16	!	31	26.0	120	2.0	16
9	5.0	-300	23.0	24	!	9	14.0	-50	14.0	24
27	5.0	-300	23.0	7	!	27	14.0	-50	14.0	7
25	5.0	-300	23.0	10	!	25	2.0	-100	26.0	10
23	5.0	-300	23.0	13	!	23	14.0	-50	14.0	13

Board-Nr.	17	28.1.07	Gru	Pik	Ru	1	Board-Nr.	18		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
14	24.0	300	4.0	23	!	14	12.0	-170	16.0	23
22	8.0	50	20.0	16	!	22	15.0	-140	13.0	16
5	3.0	-300	25.0	7	!	5	24.0	50	4.0	7
26	0.0	-420	28.0	15	!	26	6.0	-420	22.0	15
20	24.0	300	4.0	4	!	20	0.0	-800	28.0	4
6	28.0	800	0.0	19	!	6	18.0	-110	10.0	19
12	11.0	100	17.0	13	!	12	24.0	50	4.0	13
32	11.0	100	17.0	9	!	32	24.0	50	4.0	9
29	17.0	150	11.0	1	!	29	6.0	-420	22.0	1
3	6.0	-100	22.0	28	!	3	24.0	50	4.0	28
2	24.0	300	4.0	30	!	2	15.0	-140	13.0	30
31	17.0	150	11.0	17	!	31	6.0	-420	22.0	17
10	3.0	-300	25.0	24	!	10	6.0	-420	22.0	24
27	17.0	150	11.0	8	!	27	24.0	50	4.0	8
25	17.0	150	11.0	11	!	25	6.0	-420	22.0	11

Board-Nr.	19	28.1.07	Gru	Pik	Ru	1	Board-Nr.	20		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
12	5.0	140	23.0	25	!	12	18.0	-120	10.0	25
15	28.0	420	0.0	23	!	15	20.0	-110	8.0	23
22	23.0	200	5.0	17	!	22	10.0	-130	18.0	17
1	13.0	170	15.0	21	!	1	28.0	110	0.0	21
6	0.0	-50	28.0	8	!	6	10.0	-130	18.0	8
26	2.0	100	26.0	16	!	26	2.0	-180	26.0	16
20	13.0	170	15.0	5	!	20	10.0	-130	18.0	5
7	13.0	170	15.0	19	!	7	22.0	-100	6.0	19
13	23.0	200	5.0	14	!	13	24.0	-90	4.0	14
32	13.0	170	15.0	10	!	32	0.0	-210	28.0	10
29	5.0	140	23.0	2	!	29	10.0	-130	18.0	2
4	13.0	170	15.0	28	!	4	10.0	-130	18.0	28
3	23.0	200	5.0	30	!	3	26.0	100	2.0	30
11	13.0	170	15.0	24	!	11	10.0	-130	18.0	24
27	23.0	200	5.0	9	!	27	10.0	-130	18.0	9

Board-Nr. 21 28.1.07 Gru Pik Ru 1						Board-Nr. 22				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
10	6.0	-100	22.0	27	!	10	27.0	200	1.0	27
13	1.0	-200	27.0	25	!	13	14.0	-50	14.0	25
16	6.0	-100	22.0	23	!	16	7.0	-100	21.0	23
2	20.0	600	8.0	21	!	2	3.0	-300	25.0	21
7	27.0	630	1.0	9	!	7	14.0	-50	14.0	9
26	11.0	140	17.0	17	!	26	14.0	-50	14.0	17
20	20.0	600	8.0	6	!	20	21.0	100	7.0	6
8	11.0	140	17.0	19	!	8	0.0	-500	28.0	19
14	6.0	-100	22.0	15	!	14	14.0	-50	14.0	15
32	14.0	170	14.0	11	!	32	14.0	-50	14.0	11
29	1.0	-200	27.0	3	!	29	21.0	100	7.0	3
5	27.0	630	1.0	28	!	5	27.0	200	1.0	28
4	20.0	600	8.0	30	!	4	24.0	130	4.0	30
31	20.0	600	8.0	1	!	31	7.0	-100	21.0	1
12	20.0	600	8.0	24	!	12	3.0	-300	25.0	24

Board-Nr. 23 28.1.07 Gru Pik Ru 1						Board-Nr. 24				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
24	1.0	-660	27.0	13	!	24	5.0	50	23.0	13
11	1.0	-660	27.0	27	!	11	5.0	50	23.0	27
14	26.0	-210	2.0	25	!	14	18.0	100	10.0	25
17	9.0	-630	19.0	23	!	17	18.0	100	10.0	23
22	9.0	-630	19.0	1	!	22	18.0	100	10.0	1
3	9.0	-630	19.0	21	!	3	18.0	100	10.0	21
8	20.0	-600	8.0	10	!	8	18.0	100	10.0	10
20	20.0	-600	8.0	7	!	20	5.0	50	23.0	7
19	20.0	-600	8.0	9	!	19	5.0	50	23.0	9
15	9.0	-630	19.0	16	!	15	18.0	100	10.0	16
32	20.0	-600	8.0	12	!	32	18.0	100	10.0	12
29	20.0	-600	8.0	4	!	29	28.0	150	0.0	4
6	28.0	-110	0.0	28	!	6	0.0	-140	28.0	28
5	9.0	-630	19.0	30	!	5	18.0	100	10.0	30
31	9.0	-630	19.0	2	!	31	18.0	100	10.0	2

Board-Nr. 25 28.1.07 Gru Pik Ru 1						Board-Nr. 26				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
3	26.0	-50	2.0	31	!	3	0.0	-400	28.0	31
24	28.0	200	0.0	14	!	24	28.0	1110	0.0	14
12	24.0	-90	4.0	27	!	12	7.0	100	21.0	27
15	16.0	-140	12.0	25	!	15	17.0	150	11.0	25
22	16.0	-140	12.0	2	!	22	17.0	150	11.0	2
4	16.0	-140	12.0	21	!	4	7.0	100	21.0	21
9	5.0	-150	23.0	11	!	9	17.0	150	11.0	11
26	0.0	-180	28.0	1	!	26	17.0	150	11.0	1
8	16.0	-140	12.0	20	!	8	17.0	150	11.0	20
19	5.0	-150	23.0	10	!	19	17.0	150	11.0	10
16	16.0	-140	12.0	17	!	16	17.0	150	11.0	17
32	16.0	-140	12.0	13	!	32	2.0	-150	26.0	13
29	5.0	-150	23.0	5	!	29	4.0	-110	24.0	5
7	16.0	-140	12.0	28	!	7	17.0	150	11.0	28
6	5.0	-150	23.0	30	!	6	26.0	600	2.0	30

Board-Nr. 27 28.1.07 Gru Pik Ru 1						Board-Nr. 28				
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
30	8.0	110	20.0	7	!	30	0.0	-1520	28.0	7
4	12.0	140	16.0	31	!	4	26.0	-440	2.0	31

24	24.0	170	4.0	15	!	24	8.0	-980	20.0	15
13	28.0	800	0.0	27	!	13	21.0	-480	7.0	27
16	6.0	100	22.0	25	!	16	8.0	-980	20.0	25
1	18.0	150	10.0	23	!	1	21.0	-480	7.0	23
22	3.0	-50	25.0	3	!	22	13.0	-940	15.0	3
5	3.0	-50	25.0	21	!	5	13.0	-940	15.0	21
10	18.0	150	10.0	12	!	10	3.0	-1020	25.0	12
2	12.0	140	16.0	26	!	2	21.0	-480	7.0	26
9	0.0	-100	28.0	20	!	9	28.0	-190	0.0	20
19	24.0	170	4.0	11	!	19	3.0	-1020	25.0	11
32	18.0	150	10.0	14	!	32	21.0	-480	7.0	14
29	12.0	140	16.0	6	!	29	8.0	-980	20.0	6
8	24.0	170	4.0	28	!	8	16.0	-520	12.0	28

Board-Nr.	29	28.1.07	Gru	Pik	Ru	1	Board-Nr.	30		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
28	13.0	100	15.0	9	!	28	3.0	-140	25.0	9
30	13.0	100	15.0	8	!	30	11.0	50	17.0	8
5	13.0	100	15.0	31	!	5	3.0	-140	25.0	31
24	28.0	400	0.0	16	!	24	23.0	420	5.0	16
14	5.0	-140	23.0	27	!	14	3.0	-140	25.0	27
17	24.0	300	4.0	25	!	17	28.0	450	0.0	25
2	13.0	100	15.0	23	!	2	14.0	100	14.0	23
22	20.0	200	8.0	4	!	22	23.0	420	5.0	4
6	0.0	-660	28.0	21	!	6	17.0	170	11.0	21
11	13.0	100	15.0	13	!	11	11.0	50	17.0	13
3	5.0	-140	23.0	26	!	3	17.0	170	11.0	26
10	2.0	-170	26.0	20	!	10	23.0	420	5.0	20
19	24.0	300	4.0	12	!	19	23.0	420	5.0	12
32	13.0	100	15.0	15	!	32	8.0	-110	20.0	15
29	24.0	300	4.0	7	!	29	3.0	-140	25.0	7

Board-Nr.	31	28.1.07	Gru	Pik	Ru	1	Board-Nr.	32		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
8	7.0	-100	21.0	29	!	8	23.0	200	5.0	29
28	26.0	500	2.0	10	!	28	0.0	-620	28.0	10
30	7.0	-100	21.0	9	!	30	15.0	100	13.0	9
6	7.0	-100	21.0	31	!	6	23.0	200	5.0	31
24	22.0	150	6.0	17	!	24	23.0	200	5.0	17
15	7.0	-100	21.0	27	!	15	11.0	-140	17.0	27
3	7.0	-100	21.0	23	!	3	15.0	100	13.0	23
22	24.0	200	4.0	5	!	22	4.0	-500	24.0	5
21	0.0	-200	28.0	7	!	21	4.0	-500	24.0	7
12	18.0	140	10.0	14	!	12	23.0	200	5.0	14
4	7.0	-100	21.0	26	!	4	23.0	200	5.0	26
11	18.0	140	10.0	20	!	11	11.0	-140	17.0	20
19	14.0	100	14.0	13	!	19	23.0	200	5.0	13
1	28.0	620	0.0	2	!	1	4.0	-500	24.0	2
32	18.0	140	10.0	16	!	32	8.0	-300	20.0	16

Board-Nr.	33	28.1.07	Gru	Pik	Ru	1	Board-Nr.	34		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
9	15.0	-120	13.0	29	!	9	27.0	620	1.0	29
28	1.0	-180	27.0	11	!	28	0.0	-170	28.0	11
30	15.0	-120	13.0	10	!	30	19.0	170	9.0	10
7	15.0	-120	13.0	31	!	7	19.0	170	9.0	31
16	24.0	-100	4.0	27	!	16	5.0	50	23.0	27
1	28.0	-50	0.0	25	!	1	5.0	50	23.0	25
4	15.0	-120	13.0	23	!	4	27.0	620	1.0	23
6	15.0	-120	13.0	22	!	6	10.0	140	18.0	22

21	5.0	-150	23.0	8	!	21	19.0	170	9.0	8
13	15.0	-120	13.0	15	!	13	19.0	170	9.0	15
5	15.0	-120	13.0	26	!	5	19.0	170	9.0	26
12	5.0	-150	23.0	20	!	12	8.0	100	20.0	20
19	15.0	-120	13.0	14	!	19	2.0	-150	26.0	14
2	1.0	-180	27.0	3	!	2	19.0	170	9.0	3
32	26.0	-90	2.0	17	!	32	12.0	150	16.0	17

---

Board-Nr.	35	28.1.07	Gru	Pik	Ru	1	Board-Nr.	36		
N-S	MP	Score	MP	O-W	*	N-S	MP	Score	MP	O-W
10	24.0	100	4.0	29	!	10	25.0	100	3.0	29
28	28.0	200	0.0	12	!	28	15.0	-620	13.0	12
30	2.0	-690	26.0	11	!	30	8.0	-650	20.0	11
8	12.0	-660	16.0	31	!	8	20.0	-230	8.0	31
24	12.0	-660	16.0	1	!	24	15.0	-620	13.0	1
17	12.0	-660	16.0	27	!	17	25.0	100	3.0	27
2	24.0	100	4.0	25	!	2	25.0	100	3.0	25
23	12.0	-660	16.0	5	!	23	8.0	-650	20.0	5
7	12.0	-660	16.0	22	!	7	25.0	100	3.0	22
21	12.0	-660	16.0	9	!	21	15.0	-620	13.0	9
14	12.0	-660	16.0	16	!	14	3.0	-680	25.0	16
6	12.0	-660	16.0	26	!	6	15.0	-620	13.0	26
13	12.0	-660	16.0	20	!	13	0.0	-690	28.0	20
19	24.0	100	4.0	15	!	19	3.0	-680	25.0	15
3	0.0	-800	28.0	4	!	3	8.0	-650	20.0	4

---